



P.O. Box 1129 \* 280 Cement Creek Road \* Crested Butte, Co 81224  
business 970-349-5480 \* fax 970-349-0590  
email: cbsouthmetro@crestedbutte.net

June 1, 2009

Dear Drinking Water Customers;

As you will see in the following tables our system has no violations. We are proud that your drinking water meets and exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected. The EPA has determined that your water **IS SAFE** at these levels.

This is the eleventh consumer confidence report that we have mailed to our customers. The first was October 1, 1999 and from now on will be mailed to you before July 1, of each year. Each year this report will be updated with the sampling results from the previous year.

#### **System Construction**

During 2008 the district completed the cul-de-sac at the end of Anderson Drive and finished water and sewer mains from the intersection of Barbara Place and Anderson Drive up to the end of Barbara Place and up Neville Way approximately 100 ft. All Houses located on district water and sewer mains are required to tie on within 30 days of completion of the mains.

#### **Water and Wastewater infrastructure improvements**

J.V.A. Engineering completed the wastewater treatment plant expansion engineering and the bid has been awarded to Moltz Constriction of Salida, Colorado. This project should commence in mid June but no later than July 6<sup>th</sup>. The project has received a loan from the State Revolving Loan Fund at 2% interest and will be completed within 1 year. The district also has plans to construct a 300,000 gallon water storage tank that will be located above Crested Butte South on Tract 3, The Ridges. This site allows for gravity feed of potable water throughout the subdivision without the need of a pump station and will complete the district's water infrastructure after being tied into the distribution system at the top of Proffitt Place.

#### **Watering Restrictions**

The board has adopted a Resolution to restrict landscape irrigation in Crested Butte South. The Resolution allows irrigation between 5:00a.m. to 10:00a.m. and 5:00p.m. to 10:00p.m. daily. The Extraordinary Restrictions will not go into effect until the board feels it will be necessary. If you have any questions regarding watering restrictions please call our office at 970-349-5480.

#### **Landscaping in Easements**

Several homeowners have placed landscaping in the District's road easement. All trees, large rocks, landscaping berms and anything sticking up above grade must be moved back onto your property. This area must be kept open for snow-storage. Homeowners are welcome to maintain grasses and wildflowers in the area between your property line and the edge of the driving surface.

#### **Water Meters**

Water meters are required and must be in working order in Crested Butte South. It is illegal to by-pass the meter with irrigation lines or for any other use. The board changed the Meter Regulations to require all meters and remotes be in working order by July 1, 2003 or the water bill for that residence will be doubled. Most of the residents that have been contacted have contacted us and have been taken care of. When we start reading meters in July and we find that yours is not working we will contact you at that time. Thank you for your cooperation with this effort.

#### **Wellhead Protection**

The district has started a project that will lead to the development of a Source Water Protection Plan. This project is being done with the help of a grant from the Colorado Rural Water Association and Anthony Paponi. The plan will identify possible sources of contamination and make recommendations that will help in the protection of our valuable ground water source. The Gunnison County Hazardous Waste Committee has an event planned for September 26<sup>th</sup>, 2009 at the Crested Butte South Fire Hall. We will be collecting batteries, used motor oil, paint and antifreeze. Please don't dump these pollutants on the ground as they will potentially harm the ground water in our beautiful valley. Notices will go out and a campaign to notify all interested parties will commence as the date nears. There is a fee of \$10.00 for up to 20 gallons of product for this service.

#### **Consumer Confidence Report Availability**

This report needs to be made available to all renters and multi-family unit owners. If you get this notice please make copies and pass it on. Additional copies are available on request by calling 970-349-5480 or by writing to the Crested Butte South Metropolitan District, P.O. Box 1129, Crested Butte, CO 81224.

Please help us by conserving water when possible and by protecting our ground water resource for our future and our children's future.

Sincerely,  
Crested Butte South Metropolitan District, Jack Dietrich, District Manager